

# Schleifbänder nach Längen sortiert

Feinheitsgrad/ Körnung	Qualität	Stk. je VE	Art.Nr.	Preis in € je Stück	RG
<b>100 x 285 mm</b>					
40	R 822	10	82210028540	2,56	10
60	R 822	10	82210028560	2,26	10
80	R 822	10	82210028580	2,10	10
120	R 822	10	822100285120	2,10	10
A 160 (Korn 120)	3 M 237 AA	10	237100285160	3,76	2
A 100 (Korn 220)	3 M 237 AA	10	237100285100	3,76	2
A 65 (Korn 280)	3 M 237 AA	10	23710028565	3,76	2
A 45 (Korn 400)	3 M 237 AA	10	23710028545	3,76	2
A 30 (Korn 600)	3 M 237 AA	10	23710028530	3,76	2
A 16 (Korn 1200)	3 M 237 AA	10	23710028516	3,76	2
A-Coarse	GB 110 LS	2	100285AC0ARSERF	13,95	8
A-Medium	GB 110 LS	2	100285AMEDRF	13,42	8
A-Very Fine	GB 110 LS	2	100285AVFRF	12,91	8
<b>100 x 289 mm</b>					
40	R 822	10	82210028940	2,56	10
	R 929	10	92910028940	3,54	10
60	R 822	10	82210028960	2,26	10
	R 929	10	92910028960	2,86	10
80	R 822	10	82210028980	2,10	10
	R 929	10	92910028980	2,63	10
120	R 822	10	822100289120	2,10	10
	R 929	10	929100289120	2,49	10
A 160 (Korn 120)	3 M 237 AA	10	237100289160	3,82	2
A 100 (Korn 220)	3 M 237 AA	10	237100289100	3,82	2
A 65 (Korn 280)	3 M 237 AA	10	23710028965	3,82	2
A 45 (Korn 400)	3 M 237 AA	10	23710028945	3,82	2
A 30 (Korn 600)	3 M 237 AA	10	23710028930	3,82	2
A 16 (Korn 1200)	3 M 237 AA	10	23710028916	3,82	2
A-Coarse	GB 110 LS	2	100289AC0ARSERF	14,09	8
A-Medium	GB 110 LS	2	100289AMEDRF	13,55	8
A-Very Fine	GB 110 LS	2	100289AVFRF	13,03	8
<b>6 x 305 mm</b>					
A-Coarse	3 M SC-BL	10	6305AC0ARSEBL	1,55	2
A-Medium	3 M SC-BL	10	6305AMEDBL	1,37	2
A-Very Fine	3 M SC-BL	10	6305AVFBL	1,37	2
<b>9 x 305 mm</b>					
A-Coarse	3 M SC-B5	10	9305AC0ARSEB5	2,15	2
A-Medium	3 M SC-B5	10	9305AMEDB5	1,88	2
A-Very Fine	3 M SC-B5	10	9305AVFB5	1,88	2
<b>12 x 305 mm</b>					
40	R 929	20	9291230540	1,12	10
60	R 929	20	9291230560	1,08	10
A-Coarse	3 M SC-B5	10	12305AC0ARSEB5	2,87	2
A-Medium	3 M SC-B5	10	12305AMEDB5	2,51	2
A-Very Fine	3 M SC-B5	10	12305AVFB5	2,51	2
<b>40 x 310 mm</b>					
40	RX 66	50	664031040	3,83	10
60	RX 66	50	664031060	3,71	10
80	RX 66	50	664031060	3,58	10

Feinheitsgrad/ Körnung	Qualität	Stk. je VE	Art.Nr.	Preis in € je Stück	RG
80	KF 376	50	3764031080	1,41	10
100	KF 376	50	37640310100	1,38	10
120	KF 376	50	37640310120	1,38	10
150	KF 376	50	37640310150	1,38	10
180	KF 376	50	37640310180	1,38	10
240	KF 376	50	37640310240	1,38	10
320	KF 376	50	37640310320	1,38	10
400	KF 376	50	37640310400	1,38	10
<b>100 x 316 mm</b>					
40	R 822	10	82210031640	2,56	10
	R 929	10	92910031640	3,54	10
60	R 822	10	82210031660	2,26	10
	R 929	10	92910031660	2,86	10
80	R 822	10	82210031680	2,10	10
	R 929	10	92910031680	2,63	10
120	R 822	10	822100316120	2,10	10
	R 929	10	929100316120	2,56	10
A 160 (Korn 120)	3 M 237 AA	10	237100316160	4,17	2
A 100 (Korn 220)	3 M 237 AA	10	237100316100	4,17	2
A 65 (Korn 280)	3 M 237 AA	10	23710031665	4,17	2
A 45 (Korn 400)	3 M 237 AA	10	23710031645	4,17	2
A 30 (Korn 600)	3 M 237 AA	10	23710031630	4,17	2
A 16 (Korn 1200)	3 M 237 AA	10	23710031616	4,17	2
A-Coarse	GB 110 LS	2	100316AC0ARSERF	15,08	8
A-Medium	GB 110 LS	2	100316AMEDRF	14,49	8
A-Very Fine	GB 110 LS	2	100316AVFRF	13,93	8
<b>10 x 330 mm</b>					
A-Coarse	GB 110 XF	20	10330AC0ARSRPXF	3,22	8
A-Medium	GB 110 XF	20	10330AMEDRPXF	3,12	8
A-Very Fine	GB 110 XF	20	10330AVFRPXF	3,04	8
<b>50 x 450 mm</b>					
60	R 929	10	9295045060	2,13	10
80	R 929	10	9295045080	1,98	10
A 160 (Korn 120)	3 M 237 AA	10	23750450160	2,97	2
A 100 (Korn 220)	3 M 237 AA	10	23750450100	2,97	2
A-Coarse	3 M SC-B5	10	50450AC0ARSEB5	10,58	2
	GB 110 LS	6	50450AC0ARSERF	9,98	8
A-Medium	3 M SC-B5	10	50450AMEDB5	9,23	2
	GB 110 LS	6	50450AMEDRF	9,58	8
A-Very Fine	3 M SC-B5	10	50450AVFB5	9,23	2
<b>12 x 457 mm</b>					
40	R 929	20	9291245740	1,19	10
60	R 929	20	9291245760	1,14	10
80	R 929	20	9291245780	1,13	10
120	R 929	20	92912457120	1,13	10
A-Medium	GB 110 XF	20	12457AMEDRPXF	3,78	8
<b>6 x 520 mm</b>					
40	R 929	20	929652040	1,23	10
	XK 885 T	20	885652040	1,66	10
60	R 929	20	929652060	1,17	10

# Schleifbänder nach Längen sortiert

Feinheitsgrad/ Körnung	Qualität	Stk. je VE	Art.Nr.	Preis in € je Stück	RG
60	XK 885 T	20	885652060	1,45	10
80	R 929	20	929652080	1,15	10
	XK 885 T	20	885652080	1,39	10
120	R 929	20	9296520120	1,15	10
	XK 885 T	20	8856520120	1,37	10
A 160 (Korn 120)	3 M 237 AA	20	2376520160	0,82	2
A 100 (Korn 220)	3 M 237 AA	20	2376520100	0,82	2
A 65 (Korn 280)	3 M 237 AA	20	237652065	0,82	2
A 45 (Korn 400)	3 M 237 AA	20	237652045	0,82	2
A-Coarse	3 M SC-BL	10	6520ACOARSEBL	2,65	2
	GB 110 XF	20	6520ACOARSERPXF	4,25	8
A-Medium	3 M SC-BL	10	6520AMEDBL	2,34	2
	GB 110 XF	20	6520AMEDRPXF	4,12	8
A-Very Fine	3 M SC-BL	10	6520AVFBL	2,34	2
	GB 110 XF	20	6520AVFRPXF	3,99	8
<b>12 x 520 mm</b>					
40	R 929	20	9291252040	1,23	10
	XK 885 T	20	8851252040	1,66	10
60	R 929	20	9291252060	1,17	10
	XK 885 T	20	8851252060	1,45	10
80	R 929	20	9291252080	1,15	10
	XK 885 T	20	8851252080	1,39	10
120	R 929	20	92912520120	1,15	10
	XK 885 T	20	88512520120	1,37	10
A 160 (Korn 120)	3 M 237 AA	20	23712520160	1,65	2
A 100 (Korn 220)	3 M 237 AA	20	23712520100	1,65	2
A 65 (Korn 280)	3 M 237 AA	20	2371252065	1,65	2
A 45 (Korn 400)	3 M 237 AA	20	2371252045	1,65	2
A 30 (Korn 600)	3 M 237 AA	20	2371252030	1,65	2
A-Coarse	3 M SC-B5	10	12520ACOARSEBS	4,90	2
	GB 110 XF	10	12520ACOARSERPXF	4,25	8
A-Medium	3 M SC-B5	10	12520AMEDBS	4,27	2
	GB 110 XF	10	12520AMEDRPXF	4,12	8
A-Very Fine	3 M SC-B5	10	12520AVFBS	4,27	2
	GB 110 XF	10	12520AVFRPXF	3,99	8
<b>16 x 520 mm</b>					
40	R 929	20	9291652040	1,41	10
	XK 885 T	20	8851652040	2,12	10
60	R 929	20	9291652060	1,32	10
	XK 885 T	20	8851652060	1,79	10
80	R 929	20	9291652080	1,28	10
	XK 885 T	20	8851652080	1,68	10
120	R 929	20	92916520120	1,28	10
	XK 885 T	20	88516520120	1,65	10
A-Coarse	3 M SC-B5	10	16520ACOARSEBS	6,53	2
A-Medium	3 M SC-B5	10	16520AMEDBS	5,70	2
	GB 110 XF	20	16520AMEDRPXF	5,03	8
A-Very Fine	3 M SC-B5	10	16520AVFBS	5,70	2
	GB 110 XF	20	16520AVFRPXF	4,84	8

Feinheitsgrad/ Körnung	Qualität	Stk. je VE	Art.Nr.	Preis in € je Stück	RG
<b>19 x 520 mm</b>					
40	R 929	20	9291952040	1,41	10
60	R 929	20	9291952060	1,32	10
80	R 929	20	9291952080	1,28	10
A-Coarse	3 M SC-B5	5	19520ACOARSEBS	7,76	2
A-Medium	3 M SC-B5	5	19520AMEDBS	6,77	2
	GB 110 XF	10	19520AMEDRPXF	5,03	8
A-Very Fine	3 M SC-B5	5	19520AVFBS	6,77	2
<b>9 x 533 mm</b>					
40	R 929	20	929953340	1,24	10
	XK 885 T	20	885953340	1,68	10
60	R 929	20	929953360	1,17	10
	XK 885 T	20	885953360	1,47	10
80	R 929	20	929953380	1,15	10
	XK 885 T	20	885953380	1,41	10
120	R 929	20	9299533120	1,15	10
	XK 885 T	20	8859533120	1,38	10
A 160 (Korn 120)	3 M 237 AA	20	2379533160	1,27	2
A 100 (Korn 220)	3 M 237 AA	20	2379533100	1,27	2
A 65 (Korn 280)	3 M 237 AA	20	237953365	1,27	2
A 45 (Korn 400)	3 M 237 AA	20	237953345	1,27	2
A 30 (Korn 600)	3 M 237 AA	20	237953330	1,27	2
A-Coarse	GB 110 XF	10	9533ACOARSERPXF	4,33	8
A-Medium	GB 110 XF	10	9533AMEDRPXF	4,18	8
A-Very Fine	GB 110 XF	10	9533AVFRPXF	4,05	8
<b>12 x 533 mm</b>					
40	R 929	20	9291253340	1,24	10
	XK 885 T	20	8851253340	1,68	10
60	R 929	20	9291253360	1,17	10
	XK 885 T	20	8851253360	1,47	10
80	R 929	20	9291253380	1,15	10
	XK 885 T	20	88512533120	1,41	10
120	XK 885 T	20	88512533120	1,38	10
<b>30 x 533 mm</b>					
40	R 929	10	9293053340	2,13	10
	XK 885 T	10	8853053340	2,77	10
60	R 929	10	9293053360	1,80	10
	XK 885 T	10	8853053360	2,26	10
80	R 929	10	9293053380	1,69	10
	XK 885 T	10	8853053380	2,09	10
120	R 929	10	92930533120	1,66	10
	XK 885 T	10	88530533120	2,03	10
A 160 (Korn 120)	3 M 237 AA	10	23730533160	2,11	2
A 100 (Korn 220)	3 M 237 AA	10	23730533100	2,11	2
A 65 (Korn 280)	3 M 237 AA	10	2373053365	2,11	2
A 45 (Korn 400)	3 M 237 AA	10	2373053345	2,11	2
A 30 (Korn 600)	3 M 237 AA	10	2373053330	2,11	2
A-Coarse	3 M SC-B5	5	30533ACOARSEBS	7,52	2
	GB 110 XF	5	30533ACOARSERPXF	7,24	8
A-Medium	3 M SC-B5	5	30533AMEDBS	6,56	2

# Schleifbänder nach Längen sortiert

Feinheitsgrad/ Körnung	Qualität	Stk. je VE	Art.Nr.	Preis in € je Stück	RG
A-Medium	GB 110 XF	5	30533AMEDRPXF	6,86	8
A-Very Fine	3 M SC-B5	5	30533AVFBS	6,56	2
	GB 110 XF	5	30533AVFRPXF	6,66	8
gelb	PN 721	5	72130533	4,48	2
<b>6 x 610 mm</b>					
40	XK 885 T	20	885661040	1,77	10
60	XK 885 T	20	885661060	1,54	10
80	XK 885 T	20	885661080	1,46	10
120	XK 885 T	20	8856610120	1,44	10
A-Coarse	3 M SC-B5	20	6610ACARSEBS	2,87	2
A-Medium	3 M SC-B5	20	6610AMEDBS	2,51	2
A-Very Fine	3 M SC-B5	20	6610AVFBS	2,51	2
<b>13 x 610 mm</b>					
40	R 929	20	9291361040	1,36	10
	XK 885 T	20	8851361040	1,77	10
60	R 929	20	9291361060	1,27	10
	XK 885 T	20	8851361060	1,54	10
80	R 929	20	9291361080	1,25	10
	XK 885 T	20	8851361080	1,46	10
120	R 929	20	92913610120	1,25	10
	XK 885 T	20	88513610120	1,44	10
A 160 (Korn 120)	3 M 237 AA	20	23713610160	2,09	2
A 100 (Korn 220)	3 M 237 AA	20	23713610100	2,09	2
A 65 (Korn 280)	3 M 237 AA	20	2371361065	2,09	2
A-Coarse	3 M SC-B5	20	13610ACARSEBS	6,23	2
	GB 110 XF	20	13610ACARSRPXF	4,76	8
A-Medium	3 M SC-B5	20	13610AMEDBS	5,43	2
	GB 110 XF	20	13610AMEDRPXF	4,58	8
A-Very Fine	3 M SC-B5	20	13610AVFBS	5,43	2
<b>30 x 610 mm</b>					
40	R 929	10	9293061040	2,28	10
	XK 885 T	10	8853061040	3,01	10
60	R 929	10	9293061060	1,91	10
	XK 885 T	10	8853061060	2,43	10
80	R 929	10	9293061080	1,78	10
	XK 885 T	10	8853061080	2,23	10
120	R 929	10	92930610120	1,74	10
	XK 885 T	10	88530610120	2,17	10
A 160 (Korn 120)	3 M 237 AA	10	23730610160	2,42	2
A 100 (Korn 220)	3 M 237 AA	10	23730610100	2,42	2
A 65 (Korn 280)	3 M 237 AA	10	2373061065	2,42	2
A 45 (Korn 400)	3 M 237 AA	10	2373061045	2,42	2
A 30 (Korn 600)	3 M 237 AA	10	2373061030	2,42	2
A-Coarse	3 M SC-B5	5	30610ACARSEBS	8,60	2
	GB 110 XF	5	30610ACARSRPXF	8,10	8
A-Medium	3 M SC-B5	5	30610AMEDBS	7,50	2
	GB 110 XF	5	30610AMEDRPXF	7,76	8
A-Very Fine	3 M SC-B5	5	30610AVFBS	7,50	2
	GB 110 XF	5	30610AVFRPXF	7,44	8
gelb	PN 721	5	72130610	5,12	2

Feinheitsgrad/ Körnung	Qualität	Stk. je VE	Art.Nr.	Preis in € je Stück	RG
<b>40 x 618 mm</b>					
40	XK 885 T	10	8854061840	3,74	10
60	XK 885 T	10	8854061860	2,95	10
80	XK 885 T	10	8854061880	2,70	10
120	XK 885 T	10	88540618120	2,60	10
A 160 (Korn 120)	3 M 237 AA	10	23740618160	3,26	2
A 100 (Korn 220)	3 M 237 AA	10	23740618100	3,26	2
A 65 (Korn 280)	3 M 237 AA	10	2374061865	3,26	2
A-Coarse	GB 110 XF	5	40618ACARSRPXF	10,44	8
A-Medium	GB 110 XF	5	40618AMEDRPXF	9,98	8
A-Very Fine	GB 110 XF	5	40618AVFRPXF	9,53	8
<b>6 x 650 mm</b>					
40	R 929	20	929665040	1,30	10
	XK 885 T	20	885665040	1,83	10
60	R 929	20	929665060	1,23	10
	XK 885 T	20	885665060	1,59	10
80	R 929	20	929665080	1,20	10
	XK 885 T	20	885665080	1,50	10
120	R 929	20	9296650120	1,20	10
	XK 885 T	20	8856650120	1,47	10
A 160 (Korn 120)	3 M 237 AA	20	2376650160	1,03	2
A 100 (Korn 220)	3 M 237 AA	20	2376650100	1,03	2
A 65 (Korn 280)	3 M 237 AA	20	237665065	1,03	2
A-Coarse	GB 110 XF	20	6650ACARSRPXF	5,01	8
A-Medium	GB 110 XF	20	6650AMEDRPXF	4,84	8
A-Very Fine	GB 110 XF	20	6650AVFRPXF	4,65	8
<b>12 x 650 mm</b>					
40	XK 885 T	20	8851265040	1,83	10
60	XK 885 T	20	8851265060	1,59	10
80	XK 885 T	20	8851265080	1,50	10
120	XK 885 T	20	88512650120	1,47	10
A-Coarse	GB 110 XF	20	12650ACARSRPXF	5,01	10
A-Medium	GB 110 XF	20	12650AMEDRPXF	4,84	10
A-Very Fine	GB 110 XF	20	12650AVFRPXF	4,65	10
<b>15 x 650 mm</b>					
40	XK 885 T	20	8851565040	2,05	10
60	XK 885 T	20	8851565060	1,74	10
80	XK 885 T	20	8851565080	1,64	10
120	XK 885 T	20	88515650120	1,61	10
A 160 (Korn 120)	3 M 237 AA	20	23715650160	2,57	2
A 100 (Korn 220)	3 M 237 AA	20	23715650100	2,57	2
A 65 (Korn 280)	3 M 237 AA	20	2371565065	2,57	2
A-Medium	GB 110 XF	10	15650AMEDRPXF	4,84	8
<b>35 x 650 mm</b>					
40	R 929	10	9293565040	2,61	10
	XK 885 T	10	8853565040	3,51	10
60	R 929	10	9293565060	2,14	10
	XK 885 T	10	8853565060	2,79	10
80	R 929	10	9293565080	1,99	10
	XK 885 T	10	8853565080	2,55	10

# Schleifbänder nach Längen sortiert

Feinheitsgrad/ Körnung	Qualität	Stk. je VE	Art.Nr.	Preis in € je Stück	RG
120	R 929	10	92935650120	1,94	10
	XK 885 T	10	88535650120	2,47	10
<b>A 160 (Korn 120)</b>	3 M 237 AA	10	23735650160	3,00	2
<b>A 100 (Korn 220)</b>	3 M 237 AA	10	23735650100	3,00	2
<b>A 65 (Korn 280)</b>	3 M 237 AA	10	2373565065	3,00	2
<b>A 45 (Korn 400)</b>	3 M 237 AA	10	2373565045	3,00	2
<b>A 30 (Korn 600)</b>	3 M 237 AA	10	2373565030	3,00	2
<b>A 16 (Korn 1200)</b>	3 M 237 AA	10	2373565016	3,00	2
<b>A-Coarse</b>	GB 110 XF	5	35650ACOARSRPXF	9,73	8
<b>A-Medium</b>	GB 110 XF	5	35650AMEDRPXF	9,31	8
<b>A-Very Fine</b>	GB 110 XF	5	35650AVFRPXF	8,91	8
<b>S-Super Fine</b>	GB 110 XF	5	35650SFRPXF	8,91	8
<b>40 x 675 mm</b>					
<b>40</b>	XK 885 T	10	8854067540	4,00	10
<b>60</b>	XK 885 T	10	8854067560	3,15	10
<b>80</b>	XK 885 T	10	8854067580	2,86	10
<b>120</b>	XK 885 T	10	88540675120	2,77	10
<b>A 160 (Korn 120)</b>	3 M 237 AA	10	23740675160	3,56	2
<b>A 100 (Korn 220)</b>	3 M 237 AA	10	23740675100	3,56	2
<b>A 65 (Korn 280)</b>	3 M 237 AA	10	2374067565	3,56	2
<b>A-Medium</b>	GB 110 XF	5	40675AMEDRPXF	10,77	8
<b>A-Very Fine</b>	GB 110 XF	5	40675AVFRPXF	10,29	8
<b>40 x 760 mm</b>					
<b>40</b>	R 929	10	9294076040	3,17	10
	XK 885 T	10	8854076040	4,36	10
<b>60</b>	R 929	10	9294076060	2,54	10
	XK 885 T	10	8854076060	3,41	10
<b>80</b>	R 929	10	9294076080	2,34	10
	XK 885 T	10	8854076080	3,09	10
<b>120</b>	R 929	10	92940760120	2,26	10
	XK 885 T	10	88540760120	2,97	10
<b>A 160 (Korn 120)</b>	3 M 237 AA	10	23740760160	4,01	2
<b>A 100 (Korn 220)</b>	3 M 237 AA	10	23740760100	4,01	2
<b>A 65 (Korn 280)</b>	3 M 237 AA	10	2374076065	4,01	2
<b>A 45 (Korn 400)</b>	3 M 237 AA	10	2374076045	4,01	2
<b>A 30 (Korn 600)</b>	3 M 237 AA	10	2374076030	4,01	2
<b>A-Coarse</b>	GB 110 XF	5	40760ACOARSRPXF	12,52	8
<b>A-Medium</b>	GB 110 XF	5	40760AMEDRPXF	11,96	8
<b>A-Very Fine</b>	GB 110 XF	5	40760AVFRPXF	11,39	8
<b>40 x 780 mm</b>					
<b>40</b>	XK 885 T	10	8854078040	4,46	10
<b>60</b>	XK 885 T	10	8854078060	3,47	10
<b>80</b>	XK 885 T	10	8854078080	3,14	10
<b>120</b>	XK 885 T	10	88540780120	3,14	10
<b>A-Coarse</b>	GB 110 XF	5	40780ACOARSRPXF	12,8	8
<b>A-Medium</b>	GB 110 XF	5	40780AMEDRPXF	12,24	8
<b>A-Very Fine</b>	GB 110 XF	5	40780AVFRPXF	11,67	8
<b>30 x 800 mm</b>					
<b>80</b>	R 929	10	9293080080	2,05	10
<b>120</b>	R 929	10	92930800120	1,99	10

Feinheitsgrad/ Körnung	Qualität	Stk. je VE	Art.Nr.	Preis in € je Stück	RG
<b>40 x 820 mm</b>					
<b>40</b>	XK 885 T	10	8854082040	4,63	10
<b>60</b>	XK 885 T	10	8854082060	3,60	10
<b>80</b>	XK 885 T	10	8854082080	3,25	10
<b>120</b>	XK 885 T	10	88540820120	3,14	10
<b>A 160 (Korn 120)</b>	3 M 237 AA	10	23740820160	4,33	2
<b>A 100 (Korn 220)</b>	3 M 237 AA	10	23740820100	4,33	2
<b>A 65 (Korn 280)</b>	3 M 237 AA	10	2374082065	4,33	2
<b>A-Coarse</b>	GB 110 XF	5	40820ACOARSRPXF	13,39	8
<b>A-Medium</b>	GB 110 XF	5	40820AMEDRPXF	12,79	8
<b>A-Very Fine</b>	GB 110 XF	5	40820AVFRPXF	12,17	8
<b>75 x 2000 mm</b>					
<b>40</b>	R 822	10	82275200040	7,90	10
	R 929	10	92975200040	12,36	10
<b>60</b>	R 822	10	82275200060	6,52	10
	R 929	10	92975200060	9,28	10
<b>80</b>	R 822	10	82275200080	6,06	10
	R 929	10	92975200080	8,26	10
<b>120</b>	R 822	10	822752000120	6,06	10
<b>A-Coarse</b>	3 M SC-BL	4	752000ACOARSEBL	52,50	2
	GB 110 LS	2	752000ACOARSERF	57,47	8
<b>A-Medium</b>	3 M SC-BL	4	752000AMEDBL	46,50	2
	GB 110 LS	2	752000AMEDRF	54,72	8
<b>A-Very Fine</b>	3 M SC-BL	4	752000AVFBL	46,50	2
	GB 110 LS	2	752000AVFRF	51,96	8
<b>150 x 2000 mm</b>					
<b>40</b>	R 929	10	929150200040	23,57	10
<b>60</b>	R 929	10	929150200060	17,42	10
<b>80</b>	R 929	10	929150200080	15,37	10
<b>A-Coarse</b>	GB 110 LS	2	1502000ACOARSERF	115,06	8
<b>A-Medium</b>	GB 110 LS	2	1502000AMEDRF	109,48	8
<b>A-Verx Fine</b>	GB 110 LS	2	1502000AVFRF	103,96	8